

# M9.02.XX

Flow Monitor and Transmitter Field mount



Κωδικός προϊόντος	tooltiplmage	Power supply	Wire power Technology	Sensor Input	Output	Lenght	Main Wetted Materials
M9.02.01	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L0	C-PVC \$ EPDM
M9.02.02	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L0	C-PVC \$ FKM
M9.02.03	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L1	C-PVC \$ EPDM
M9.02.04	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L1	C-PVC \$ FKM
M9.02.05	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L0	PVDF \$ EPDM
M9.02.06	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L0	PVDF \$ FKM
M9.02.07	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L1	PVDF \$ EPDM
M9.02.08	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L1	PVDF \$ FKM
M9.02.09	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L0	316L SS \$ EPDM
M9.02.10	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L0	316L SS \$ FKM
M9.02.11	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L1	316L SS \$ EPDM
M9.02.12	-	12 - 24 VCC	3/4 wire	Flow (Frequency)	1* (4-20 mA) \$ 2* (S.S.R.) \$ 1* (mech. relay)	L1	316L SS \$ FKM



## M9.02.XX

- APPLICATIONS β' Water treatment systems β' Industrial waste water treatment and recovery β' Water distribution β' Filtration systems β' Swimming pools & SPA β' Irrigation & Fertigation β' Leak detection β' Cooling water monitoring β' Processing and manufacturing industry β' Chemical production MAIN FEATURES β' Wide full graphic display β' Multicolor backlight β' Help on board β' Installation flexibility β' Fast, intuitive and mistake-proof calibration software β' Mechanical relay for external device control β' Solid State Relays for programmable alarms β' Multilanguage menu β' USB port for software upgrading