


# GBE/GKE SDR17 - 90° Bend

90° bend, short spigot for butt welding SDR 17 - S 8.



Reference	tooltiplmage	Other description	system	Category	family	series	d	Z	l	r	S	g
GKE17050	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	50	62	23	36	3,0	52
GKE17075	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	63	77	21	65	3,8	107
GKE17075	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	75	85	21	75	4,5	146
GKE17090	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	90	100	22	90	5,4	248
GKE17110	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	110	120	25	110	6,6	437
GBE17125	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	125	140	15	125	7,4	681
GBE17140	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	140	155	15	140	8,3	986
GBE17160	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	160	175	15	160	9,5	1296
GBE17180	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	180	195	15	180	10,7	1972
GBE17200	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	200	215	15	200	11,9	2552
GBE17225	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	225	245	20	225	13,4	3565
GBE17250	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	250	275	25	250	14,8	5100



# GBE/GKE SDR17 - 90° Bend

Reference	tooltiplimage	Other description	system	Category	family	series	d	Z	l	r	S	g
GBE17280	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	280	310	30	280	16,6	7005
GBE17315	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	315	350	35	315	18,7	10236
GBE17450	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*450	510	60	450	26,7	42752
GBE17400	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*400	432	41	400	23,7	20201
GBE17355	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*355	380	38	355	21,1	13350
GBE17500	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*500	560	60	500	29,7	53950





## GBE/GKE SDR17 – 90° Bend

- Size range: d 12 ÷ d 800 (mm)
- Nominal pressure: SDR 17 (PN10) with water at 20 °C, SDR 11 (PN16) with water at 20 °C
- Temperature range: -40 °C ÷ 60 °C
- Coupling standards – Reference standards:
  - Welding: EN ISO 15494. Can be coupled to pipes according to EN ISO 15494
  - Flanging system: ISO 7005-1, EN 1092-1, EN ISO 15494, ANSI B16.5 cl.150
  - Construction criteria: UNI EN ISO 15494
  - Test methods and requirements: UNI EN ISO 15494
  - Installation criteria: DVS 2202-1, DVS 2207-1, UNI EN 12201- 3, UNI 10520, ISO 21307, UNI 10521, UNI EN 1555-3, ISO 4427- 3, ISO 4437-3
- Fitting material: PE-HD
- Seal material: EPDM, FKM