


# GBE/GKE SDR11 - 90° Bend

90° bend, short spigot for butt welding SDR 11 - S 5.



Reference	tooltiplmage	Other description	system	Category	family	series	d	Z	l	r	S	g
GKE11020	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	20	34	20	18	1,9	7
GKE11025	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	25	37	20	18	2,3	12
GKE11032	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	32	40	21	20	2,9	20
GKE11040	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	40	51	22	35	3,7	40
GKE11050	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	50	62	23	36	4,6	74
GKE11063	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	63	77	21	65	5,8	148
GKE11075	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	75	85	21	75	6,8	212
GKE11090	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	90	100	22	90	8,2	361
GKE11110	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	110	120	25	110	10,0	635
GBE11125	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	125	140	15	125	11,4	1007
GBE11140	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	140	155	15	140	12,7	1391
GBE11160	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	160	175	15	160	14,6	1980



# GBE/GKE SDR11 - 90° Bend

Reference	tooltiplmage	Other description	system	Category	family	series	d	Z	l	r	S	g
GBE11180	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*180	184	15	180	16,4	2585
GBE11200	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	200	215	15	200	18,2	3885
GBE11225	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	225	245	20	225	20,5	5655
GBE11250	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	250	275	25	250	22,7	7652
GBE11280	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	280	310	30	280	25,4	10663
GBE11315	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	315	350	35	315	28,6	15279
GBE11355	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*355	380	38	355	32,2	20825
GBE11400	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*400	434	41	400	36,3	30214
GBE11450	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*450	510	60	450	40,9	55482
GBE11500	-	*resale products	PE Pipe and Fittings	Pressure Fittings	ISO-UNI Fittings	Short-spigot-for-butt-welding	*500	560	60	500	45,4	71250





## GBE/GKE SDR11 - 90° Bend

- Size range:  $d 12 \div d 800$  (mm)
- Nominal pressure: SDR 17 (PN10) with water at 20 °C, SDR 11 (PN16) with water at 20 °C
- Temperature range:  $-40 \text{ °C} \div 60 \text{ °C}$
- Coupling standards - Reference standards:
  - Welding: EN ISO 15494. Can be coupled to pipes according to EN ISO 15494
  - Flanging system: ISO 7005-1, EN 1092-1, EN ISO 15494, ANSI B16.5 cl.150
  - Construction criteria: UNI EN ISO 15494
  - Test methods and requirements: UNI EN ISO 15494
  - Installation criteria: DVS 2202-1, DVS 2207-1, UNI EN 12201- 3, UNI 10520, ISO 21307, UNI 10521, UNI EN 1555-3, ISO 4427- 3, ISO 4437-3
- Fitting material: PE-HD
- Seal material: EPDM, FKM