


Pressure pipe VDA PN8

VDA® Pressure Pipe, Blue RAL 5010, Length 6m, Connection FORSHEDA 601 POWER-LOCK®.



Reference	tooltipImage	product.detail.attribute.textBelowTableText	system	Category	family	series	D (mm)	S (mm)	Lb (mm)
PIVDAPN08090F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	90	2.6	130
PIVDAPN08110F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	110	2.7	130
PIVDAPN08125F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	125	3.1	150
PIVDAPN08140F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	140	3.5	160
PIVDAPN08160F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	160	3.6	165
PIVDAPN08200F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	200	4.5	180
PIVDAPN08225F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	225	5.5	200
PIVDAPN08250F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	250	5.6	210

Pressure pipe VDA PN8

Reference	tooltipImage	product.detail.attribute.textBelowTableText	system	Category	family	series	D (mm)	S (mm)	Lb (mm)
PIVDAPN08280F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	280	6.9	210
PIVDAPN08315F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	315	7.1	230
PIVDAPN08355F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	*355	8.5	250
PIVDAPN08400F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	400	9.4	250
PIVDAPN08500F6L	-	*Upon request	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN8 pipe	500	11.9	255



Pressure pipe VDA PN8

- **Size range:** d 50 ÷ 500 (mm)
- **Nominal pressure:**
 - PN 8 with water at 20° C
 - PN 10 with water at 20° C
 - PN 12,5 with water at 20° C
 - PN 16 with water at 20° C
 - PN 20 with water at 20° C
- **Temperature range:** 0 °C ÷ 60 °C
- **Coupling standards:** FORSHEDA JOINT, gluing on request
- **Reference standards:**
 - KQ KIWA QUALITY KIP-105133- BSPAS27
 - D.M. No.174/2004-potability
 - UNI EN 1622- odour and flavour threshold
- **Pipe material:** PVC-A colour BLUE RAL 5010