


Pressure pipe VDA PN10

VDA® Pressure Pipe, Blue RAL 5010, Length 6m, Connection FORSHEDA 601 POWER-LOCK®.



Reference	tooltiplmage	system	Category	family	series	D (mm)	S (mm)	Lb (mm)	Weight (kg/m)	Qty x pallet
PIVDAPN10063F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	63	2.1	110	0.6	123
PIVDAPN10075F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	75	2.3	120	0.8	87
PIVDAPN10090F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	90	2.6	130	1.1	96
PIVDAPN10110F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	110	3.1	130	1.6	57
PIVDAPN10125F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	125	3.5	150	2.1	51
PIVDAPN10140F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	140	3.9	160	2.5	45
PIVDAPN10160F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	160	4.5	165	3.3	33
PIVDAPN10200F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	200	5.6	180	5.2	20
PIVDAPN10225F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	225	6.3	200	6.6	18
PIVDAPN10250F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	250	7.0	210	8.0	12
PIVDAPN10280F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	280	7.8	210	10.0	11

Pressure pipe VDA PN10

Reference	tooltiplmage	system	Category	family	series	D (mm)	S (mm)	Lb (mm)	Weight (kg/m)	Qty x pallet
PIVDAPN10315F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	315	8.8	230	12.6	9
PIVDAPN10355F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	355	9.9	250	16.0	6
PIVDAPN10400F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	400	11.2	250	20.5	5
PIVDAPN10500F6L	-	VDA system	Pipes	PVC-A Pipe BS-PAS-27:1999	PN10 pipe	500	13.9	255	31.7	2

Pressure pipe VDA PN10

- **Size range:** d 50 ÷ 500 (mm)
- **Nominal pressure:**
 - PN 8 with water at 20° C
 - PN 10 with water at 20° C
 - PN 12,5 with water at 20° C
 - PN 16 with water at 20° C
 - PN 20 with water at 20° C
- **Temperature range:** 0 °C ÷ 60 °C
- **Coupling standards:** FORSHEDA JOINT, gluing on request
- **Reference standards:**
 - KQ KIWA QUALITY KIP-105133- BSPAS27
 - D.M. No.174/2004-potability
 - UNI EN 1622- odour and flavour threshold
- **Pipe material:** PVC-A colour BLUE RAL 5010