


POWER-LOCK VDA® PN16 - 22° bend

VDA® pressure POWER-LOCK bend, Blu Ral 5010, 22 DEGREES, connection FORSHEDA 601 POWER-LOCK®.



Reference	tooltiplmage	product.detail.attribute.textBelowTableText	system	Category	family	series	D (mm)	S (mm)	Lb (mm)	Qt pc
PBVDAPN16063F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	63	3.2	110	80
PBVDAPN16075F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	75	3.7	120	80
PBVDAPN16090F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	90	4.0	130	80
PBVDAPN16110F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	110	4.9	130	60
PBVDAPN16125F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	125	5.5	150	45
PBVDAPN16140F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	140	6.2	160	35
PBVDAPN16160F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	160	7.0	165	25



POWER-LOCK VDA® PN16 - 22° bend

Reference	tooltiplmage	product.detail.attribute.textBelowTableText	system	Category	family	series	D (mm)	S (mm)	Lb (mm)	Qt pc
					Lock Bends	Lock bends				
PBVDAPN16200F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	200	8.8	180	*
PBVDAPN16225F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	225	9.9	200	*
PBVDAPN16250F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	250	11.0	210	*
PBVDAPN16280F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	280	12.3	210	*
PBVDAPN16315F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	315	13.8	230	*
PBVDAPN16355F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	355	15.6	250	*
PBVDAPN10400F2L	-	* Quantity to be defined	VDA system	Pipes	PVC-A Power-Lock Bends	PN16 Power-Lock bends	400	17.5	250	*





POWER-LOCK VDA® PN16 – 22° bend

- **Size range:** d 63 ÷ 400 (mm); Degrees: 22°
- **Nominal pressure:** PN16
- **Temperature range:** 0 °C ÷ 60 °C
- **Coupling standards:** FORSHEDA JOINT, gluing on request
- **Reference standards:** Curves produced from certified pipes:
 - KQ KIWA QUALITY KIP-105133- BSPAS27
 - D.M. No.174/2004-potability
 - UNIEN 1622- smell and taste threshold
- **Bend material:** PVC-A colour BLUE RAL 5010