


# Branch 88,5°



Reference	Name	tooltiplImage	d1/	d2	Kg	L	l3	l1/l2	noteText	k3	noteEnum
200404	Branch 88,5°	-	40	40	0,059	130	75	55	fabricated	45	-
200504	Branch 88,5°	-	50	40	0,081	150	90	60	fabricated	60	-
200505	Branch 88,5°	-	50	50	0,083	150	90	60	fabricated	55	-
200604	Branch 88,5°	-	63	40	0,113	175	105	70	fabricated	70	-
200605	Branch 88,5°	-	63	50	0,117	175	105	70	fabricated	70	-
200606	Branch 88,5°	-	63	63	0,12	175	105	70	fabricated	60	-
200656	Branch 88,5°	-	63	56	0,12	175	105	70	fabricated	65	-
200704	Branch 88,5°	-	75	40	0,134	175	105	70	fabricated	75	-
200705	Branch 88,5°	-	75	50	0,136	175	105	70	fabricated	70	-
200706	Branch 88,5°	-	75	63	0,138	175	105	70	fabricated	60	-
200707	Branch 88,5°	-	75	75	0,142	175	105	70	fabricated	55	-
200756	Branch 88,5°	-	75	56	0,135	175	105	70	fabricated	65	-
200904	Branch 88,5°	-	90	40	0,204	200	120	80	fabricated	85	-
200905	Branch 88,5°	-	90	50	0,211	200	120	80	fabricated	85	-
200906	Branch 88,5°	-	90	63	0,218	200	120	80	fabricated	80	-
200907	Branch 88,5°	-	90	75	0,224	200	120	80	fabricated	75	-
200909	Branch 88,5°	-	90	90	0,225	200	120	80	fabricated	70	-
200956	Branch 88,5°	-	90	56	0,22	200	120	80	fabricated	85	-
201104	Branch 88,5°	-	110	40	0,332	225	135	90	fabricated	100	-
201105	Branch 88,5°	-	110	50	0,328	225	135	90	fabricated	95	-
201106	Branch 88,5°	-	110	63	0,344	225	135	90	fabricated	90	-

# Branch 88,5°

Reference	Name	tooltiplmage	d1/	d2	Kg	L	l3	h/l2	noteText	k3	noteEnum	
201107	Branch 88,5°	-	110	75	0,34	225	135	90	fabricated	85	-	
201109	Branch 88,5°	-	110	90	0,348	225	135	90	fabricated	75	-	
201111	Branch 88,5°	-	110	110	0,36	225	135	90	fabricated	65	-	
201156	Branch 88,5°	-	110	56	0,338	225	135	90	fabricated	90	-	
201205	Branch 88,5°	-	125	50	0,5	250	150	100	fabricated	110	1	1
201206	Branch 88,5°	-	125	63	0,5	250	150	100	fabricated	105	1	1
201207	Branch 88,5°	-	125	75	0,484	250	150	100	fabricated	100	-	
201209	Branch 88,5°	-	125	90	0,506	250	150	100	fabricated	90	-	
201211	Branch 88,5°	-	125	110	0,498	250	150	100	fabricated	80	-	
201212	Branch 88,5°	-	125	125	0,519	250	150	100	fabricated	70	-	
201256	Branch 88,5°	-	125	56	0,5	250	150	100	fabricated	105	1	1
201605	Branch 88,5°	-	160	50	1,09	350	210	140	fabricated	145	1	1
201606	Branch 88,5°	-	160	63	1,07	350	210	140	fabricated	140	1	1
201607	Branch 88,5°	-	160	75	1,12	350	210	140	fabricated	150	1	1
201609	Branch 88,5°	-	160	90	1,12	350	210	140	fabricated	125	1	1
201611	Branch 88,5°	-	160	110	1,19	350	210	140	fabricated	135	-	
201616	Branch 88,5°	-	160	160	1,218	350	210	140	fabricated	105	-	
201656	Branch 88,5°	-	160	56	1,07	350	210	140	fabricated	145	1	1
202007	Branch 88,5°	-	200	75	1,75	360	180	180	fabricated	90	1	1
202009	Branch 88,5°	-	200	90	1,77	360	180	180	fabricated	80	1	1
202011	Branch 88,5°	-	200	110	1,8	360	180	180	fabricated	70	1	1
202012	Branch 88,5°	-	200	125	1,75	360	180	180	fabricated	65	1	1
202016	Branch 88,5°	-	200	160	1,9	360	180	180	fabricated	45	1	1
202020	Branch 88,5°	-	200	200	2	360	180	180	fabricated	25	1	1
202511	Branch 88,5°	-	250	110	2,74	440	220	220	fabricated	110	1	1
202512	Branch 88,5°	-	250	125	2,85	440	220	220	fabricated	105	1	1
202516	Branch 88,5°	-	250	160	2,95	440	220	220	fabricated	85	1	1
202520	Branch 88,5°	-	250	200	3,1	480	240	240	fabricated	65	1	1
202525	Branch 88,5°	-	250	250	3,22	480	240	240	fabricated	40	1	1
203111	Branch 88,5°	-	315	110	5,6	560	280	280	fabricated	170	1	1
203112	Branch 88,5°	-	315	125	5,7	560	280	280	fabricated	165	1	1
203116	Branch 88,5°	-	315	160	5,75	560	280	280	fabricated	145	1	1
203120	Branch 88,5°	-	315	200	5,8	560	280	280	fabricated	120	1	1

# Branch 88,5°

Reference	Name	tooltiplmage	d1/	d2	Kg	L	l3	h1/l2	noteText	k3	noteEnum	
203125	Branch 88,5°	-	315	250	6,04	560	280	280	fabricated	95	1	1
203131	Branch 88,5°	-	315	315	6,8	560	280	280	fabricated	70	1	1
205605	Branch 88,5°	-	56	50	0,103	175	105	70	fabricated	70	-	
205656	Branch 88,5°	-	56	56	0,108	175	105	70	fabricated	65	-	

<sup>1</sup> fabricated