


ULFOX.X.X

Ultra Low Flow Sensors



Reference	tooltipImage	system	Category	family	series	Version	Power supply	Lenght	Main Wetted Materials	Enclosure	Flow Rate Range	Weight (gr.)
ULF01.H.0	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Hall	5 - 24 VCC	77 mm	POM \$ FKM	IP65	From 1,5 to 100 l/h*	170
ULF01.H.2	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Hall	5 - 24 VCC	77 mm	ECTFE \$ FKM	IP65	From 1,5 to 100 l/h*	200
ULF01.H.3	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Hall	5 - 24 VCC	77 mm	ECTFE \$ KALREZ	IP65	From 1,5 to 100 l/h*	200
ULF01.R.0	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow	Reed	None	77 mm	POM \$ FKM	IP65	From 1,5 to 100 l/h*	170

All information subject to change. Further information is available at:

+49 621 486-0 | info.de@alaxis.com | alaxis.de

ULFOX.X.X

Reference	tooltiplimage	system	Category	family	series	Version	Power supply	Lenght	Main Wetted Materials	Enclosure	Flow Rate Range	Weight (gr.)
					and Oval Gear Sensors							
ULF01.R.2	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Reed	None	77 mm	ECTFE \$ FKM	IP65	From 1,5 to 100 l/h*	200
ULF01.R.3	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Reed	None	77 mm	ECTFE \$ KALREZ	IP65	From 1,5 to 100 l/h*	200
ULF03.H.0	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Hall	5 - 24 VCC	77 mm	POM \$ FKM	IP65	From 1,5 to 100 l/h*	170
ULF03.H.2	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Hall	5 - 24 VCC	77 mm	ECTFE \$ FKM	IP65	From 1,5 to 100 l/h*	200
ULF03.H.3	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Hall	5 - 24 VCC	77 mm	ECTFE \$ KALREZ	IP65	From 1,5 to 100 l/h*	200
ULF03.R.0	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval	Reed	None	77 mm	POM \$ FKM	IP65	From 1,5 to 100 l/h*	170

ULFOX.X.X

Reference	tooltiplimage	system	Category	family	series	Version	Power supply	Lenght	Main Wetted Materials	Enclosure	Flow Rate Range	Weight (gr.)
					Gear Sensors							
ULF03.R.2	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Reed	None	77 mm	ECTFE \$ FKM	IP65	From 1,5 to 100 l/h*	200
ULF03.R.3	-	Automation system	FLS Measurement and control Instrumentation	Flow sensors	In line Ultra Low Flow and Oval Gear Sensors	Reed	None	77 mm	ECTFE \$ KALREZ	IP65	From 1,5 to 100 l/h*	200

ULFOX.X.X

APPLICATIONS:

- Water treatment
- Chemical industry
- Pharmaceutical industry
- Dosing systems
- Laboratory plants

MAIN FEATURES:

- POM or ECTFE (Halar[®]) wetted parts
- Two flow ranges available: - 1.5 - 100 l/h (0.0066 - 0.44 gpm) - 6 - 250 l/h (0.0264 - 1.1 gpm)
- High chemical resistance
- Easy mounting