

M9.00.PX – M9.00.WX

2-Wires Flow Monitor and Transmitter



Reference	tooltiplmage	system	Category	family	series	Mounting	Power supply	Wire power Technology	Sensor Input	Output
M9.00.P1	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	Panel	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20m \$ 1*(S.S.R)
M9.00.W1	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	Wall	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20m \$ 1*(S.S.R)
M9.00.W2	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	Wall	110 - 230 VCA	2 wire	Flow (Frequency)	1*(4-20m \$ 1*(S.S.R)



M9.00.PX – M9.00.WX

APPLICATIONS:

- Water treatment systems
- Industrial waste water treatment and recovery
- Water distribution
- Filtration systems
- Swimming pools & SPA
- Irrigation & Fertigation
- Leak detection

MAIN FEATURES:

- Wide display
- Bright backlight
- Installation flexibility
- Solid State Relays for programmable alarms
- Multilanguage menu
- USB port for software updating