M9.00.XX



2-Wires Flow Monitor and Transmitter Field mount



Reference	tooltiplmage	system	Category	family	series	Power supply	Wire power Technology	Sensor Input	Output	Lenght
M9.00.01	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	LO
M9.00.02	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	LO
M9.00.03	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.04	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.05	-	Automation system	FLS Measurement	Monitors and transmitters	Monitors for Flow, pH/ORP,	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	LO



M9.00.XX



Reference	tooltiplmage	system	Category	family	series	Power supply	Wire power Technology	Sensor Input	Output	Lenght
			and control Instrumentation		measurement and control					
M9.00.06	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	LO
M9.00.07	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.08	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.09	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	LO
M9.00.10	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	LO
M9.00.11	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.12	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1



M9.00.XX



APPLICATIONS:

- Water treatment systems
- · Industrial waste water treatment and recovery
- Water distribution
- Filtration systems
- Swimming pools & SPA
- Irrigation & Fertigation
- Leak detection

MAIN FEATURES:

- · Wide display
- · Bright backlight
- Installation flexibility
- Solid State Relays for programmable alarms
- Multilanguage menu
- USB port for software updating

