

M9.50.PX - M9.50.WX



Reference	tooltiplmage	system	Category	family	series	Mounting	Power supply	Sensor Input	Output
M9.50.P1	_	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ORP, Conductivity measurement and control	Panel	12 - 24 VCC	Flow (Frequency)	2*(S.S.R.) \$ 2*(mech. relay)
M9.50.W1	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ORP, Conductivity measurement and control	Wall	12 - 24 VCC	Flow (Frequency)	2*(S.S.R.) \$ 2*(mech. relay)
M9.50.W2	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ORP, Conductivity measurement and control	Wall	110 - 230 VCA	Flow (Frequency)	2*(S.S.R.) \$ 2*(mech. relay)



(FIP)

M9.50.PX - M9.50.WX

APPLICATIONS

- Batch processes
- · Chemical additions
- Filling processes
- · Blending applications
- · Dosing system
- · Bottling processes

MAIN FEATURES

- · Wide full graphic display
- · Multicolor backlight visualization
- Help on board
- External start, stop and resume
- · Intuitive batch volumes setting
- Two stage shutdown control
- Overrun compensation and alarm
- Missing signal alarm
- USB port for software upgrading

