

M9.06.PX - M9.06.WX

pH/ORP Monitor and Transmitter



Reference	tooltiplmage	system	Category	family	series	Mounting	Power supply	Wire power Technology	Sensor Input	Output
M9.06.P1	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	Panel	12 - 24 VCC	3/4 wire	pH/ ORP	2*(4-20mA) \$2*(S.S.R.) \$ 2* (mech. relay)
M9.06.W1	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	Wall	12 - 24 VCC	3/4 wire	pH/ ORP	2*(4-20mA) \$2*(S.S.R.) \$ 2* (mech. relay)
M9.06.W2	-	Automation system	FLS Measurement and control Instrumentation	Monitors and transmitters	Monitors for Flow, pH/ ORP, Conductivity measurement and control	Wall	110 - 230 VCA	3/4 wire	pH/ ORP	2*(4-20mA) \$2*(S.S.R.) \$ 2* (mech. relay)



(FIP)

M9.06.PX - M9.06.WX

APPLICATIONS:

- · Water treatment and regeneration
- Industrial waste water treatment and recovery
- Scrubber control
- Neutralization systems
- · Heavy metals recovery
- Metal surface coating
- · Processing and manufacturing industry
- Chemical production
- Swimming pools and SPA

MAIN FEATURES

- Wide full graphic display
- · Multicolor backlight visualization
- Help on board
- Automatic recognition of pH buffers
- In line adjustment
- · Analog output for temperature remoting
- · Mechanical relay for external device control
- Solid State Relays for programmable alarms
- USB port for software upgrading

